



Compact and industrial, with massive performance.


The PrintronixLP654C gets the job done, enabling you to get on with yours.

Your business deserves an industrial-grade printer that helps it grow, and the LP654Cdelivers. Built to meet the high demands of industrial market applications, this rugged and durable device provides the speed, flexibility, and reliability needed in mission-critical situations.

Taking mere seconds to print from idle, users can avoid production delays and disruptions with the quickest "first to print" and print speeds up to 35 pages per minute. The straight-through paper path and diverse media handling capabilities make it effortless to run ultra-thick sheets for shipping labels in one moment, and produce the packing slips next.

The LP654C'sspace-saving design allows it to fit into a variety of industrial spaces, further providing the flexibility to adapt to the specific needs of your business. With it's high-duty cycle, low total cost of ownership, and robust design, this industry leading print solution makes short work of everything from black and white barcode labels to full color documentation. And with running costs designed for heavy use, it makes high-volume, high-quality color printing fast, inexpensive, and efficient.





Built for your

When users require speed and efficiency, the LP654C is there to get the job done. It's designed to work as hard as you do, providing years of reliable performance.

- Freight and logistics
- Shipping/receiving
- Warehouse/fulfillment
- Order picking/packing
- Inventory management
- Product labeling
- Retail and storefront
- Invoicing/receipts
- Service documentation
- Safety and compliance materials
- Healthcare/medical

Why choose the LP654C?

Your business deserves a powerful device that seamlessly integrates with daily operations, and the Printronix LP654C packs loads of production enhancing functions that help get the job done. Built with industrial operations in mind, it provides remarkably reliable performance, increases productivity, and ultimately improves workflow efficiency.

- Reliability Thanksto its rugged design and advanced capabilities, the Printronix LP654Cis the most robust device in the A4 class.
- Unrivaled TCO Designed to print, and print, and print, its long life and high duty cycle are supported with separatetoners and drums to ensure the maximum usage of all consumables and lower TCO.
- Diverse media handling capabilities The LP654C packsloads of performance capabilities. Print everything from labels and cardstock, to brilliant full color documents
- Indoor/outdoor substrate durability Print magnetic and ultra-durable water/tear proof materials suitable for both indoor and outdoor applications. Perfectfor warehouse and production environments, shelf labeling, and signage.

- needs very little operating space, making it ideal for production lines, kiosks or other difficult to reachareas.
- Adaptability Theworld is changing, and the LP654Ccan be configured to meet the unique needs of your industrial environment.

Compact size – TheLP654C'ssmall footprint means it

World-class service and support – Printronix has been addressing global customer needs for mission-critical printing for more than 45 years, delivering customized solutions and services to support and improve uptime in industrial environments.

- Superior print speeds Time matters and the LP654Cis ready to meet those demands, printing up to 35 pagesa minute, with ease, on media up to 256gsm or up to 52" (1.32m) long.
- Straight-through paper path Easily run thick stocks such as labels and envelopes, with no jams or errors, further avoiding delays and disruptions in time-sensitive situations.





LP654C Product Specifications

PRINT SPEED

Print speed 35ppm color/mono Time to first print 6.5 seconds color/mono Warm up time ≤20 secondsfrom power on ≤11 secondsfrom power save

PRINT QUALITY

1200 x 1200 dpi Resolution Enhancements Auto Color Balance, Photo Enhance via Driver (Windows PCL6driver only)

DUTY CYCLE

Maximum: Average:

100,000 pages/month; 10,000 pages/month

MEMORY

1 GBRAM: 3GBeMMC

CONNECTIVITY/INTERFACES

Standard Optional

10/100/1000 BaseEthernet, USB2.0 Device, USB2.0 Host x 1, NFC¹ Wireless802.11abgn

PRINTER LANGUAGES

PCL6 (XL3.0) emulation, PCL5cemulation, Epson FXEmulation, PostScript3 emulation, PDF2.0 emulation. IBM ProPrinter emulation

NETWORK & PROTOCOLS

All major network protocolssupported via ethernet cardwith internal web serverfor printer and network card set-up and management. TCP/IPv4&v6,NetBIOSover TCP, DHCP, DHCPv6, HTTP, HTTPS, DNS, DDNS, WINS, Bonjour, SMTP, SMTPS, POP3, SNMPv1&v3, SNTP, IPP, IPPS, WSDPrint, LLTD, IEEE802.1X, LPR, Port9100, Telnet, FTP, FTPS,AirPrint, Wireless IEEE802.11a/b/g/n, WEP,WPA, WPA2, Personal, Enterprise²

OS COMPATIBILITY³

Windows7 (32-bit & 64-bit) and higher; MacOSX10.10 and higher

ADVANCED NETWORKING & SECURITY

IPv6, 802.1x authentication, SNMPV3, SSL3/TLSHTTPSencryption, SecurePrint, Secure Erase, Data Encryption, IP filtering, IPSec, MACFiltering

BARCODES & SPECIALTY FONTS

10 types of one dimension with 26 variations: UPC-A, UPC-E, EAN/JAN-8, EAN/JAN-13, Interleaved2of5, Code 39, Code 128, EAN/UCC-128, CODABAR, ZIP+4 POSTNET, 2 types of two dimensions: PDF417, QRcode(Model2), LinePrinter, OCR-A/B, USPS **ZIP Barcode**

CONSUMABLES

CMYToner cartridges ⁴
Black Toner cartridge ⁴
Image drums5
Transfer belt
Fuserunit ⁶

6,000 pages 7,000 pages 50,000 pages 60,000 pages 60,000 pages

PAPER INPUT CAPACITY

Trav 1 Multi-purpose tray 250 sheets of 80gsm; 100 sheets of 80gsm

PAPER CAPACITY OPTIONAL TRAYS

Tray2/3/4: 530 sheets of 80gsm

MAXIMUM PAPERCAPACITY

1,940 sheetsof 80gsm

PAPER SIZES

A4, A5, A6, B5, B6, B6 Half, B7, B8, Letter, Legal 13, Legal 13.5, Legal 14, Executive, Statement, 8.5" SQ, Folio, 16K, Index Card(3" x 5") (75 x 125mm), Photo Size(4" x 6", 5" x 7") (100 x 150mm, 125 x 175mm), Envelopes, Postcard, Return Postcard, Custom Size:Width 2.2-8.5" (55-216mm) xLength 3.6-52" (91-1,321mm)

PAPER WEIGHT

Tray1, Multi-purpose tray	60 to 256gsm;
Tray2/3/4, Duplex	64 to 176gsm;

PAPER OUTPUT

150 sheets facedown, 100 sheets face up, 80gsm

DUPLEX (2-SIDED PRINTING)

Standard

ENVIRONMENT (TEMPERATURE/HUMIDITY)

Operating	
Storage	

50°Fto 90°F(10°Cto 32°C), 20% to 80% RH 14°Fto 109°F(-10°Cto 43°C), 10% to 90% RH

POWER SUPPLY

Single phase 120VACor 220-240VAC, frequency 50/60 Hz +/- 2%

NOISE LEVEL

Operating: 54dB(A) or less; Standby: 32dB(A) or less; Power save: Inaudible

DIMENSIONS (WxDxH)

15.6" x16.9" x11.4" (395mm x430mm x290mm)

WEIGHT

Approx. 62.2 lbs(28.2kg) including all consumables

WARRANTY

Printer: 1 year onsite next day⁸; LEDPrintheads: 5 year limited warranty



- ¹ Android deviceonly,print through Printronix MobilePrint App ² Onlyavailablewith WirelessNetwork W-LAN ³ CheckPrintronix websitefor latest driver releasesand OScompatibility
- ⁴ Toners: A4 pagesyield compliant with ISO/ISC19798 ⁵ Drum: Averagenumber of A4 pagesprinted (3 pagesper job)

6 Fuser: 3 pagesper job

⁷ Printer shipped with toner for approx.3,000 A4 pages ⁸ Available in the USonly.

© 2022 Printronix, LLC All rights reserved. Printronix and all product names, numbers and logosaretrademarksor registered trademarksor Printronix, LLC. Product appearanceand/or specificationsare subject to change without notice. Windowsisare gistered trademark of Microsoft Corporation in the United States and other countries. All other trademarks, product namesand Companynamesor logosherein, arethepropertyof their respective ners. PTX-30003

FOR MORE INFO EMAIL INDUSTRIALPRINTERS@PRINTRONIX.COM

COT Computer OEM Trading GmbH Güterstraße 5 64807 Dieburg www.cot.de l info@cot.de



RINTRON 7700 Irvine Center Drive, Suite 700, Irvine, CA92618 www.printronix.com